


SUPPLEMENT TO

The Gazette of India



सत्यमेव जयते

No. 20] NEW DELHI, SATURDAY, JUNE 6, 1959/JAISTHA 16, 1881

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th May, 1959

CHOLERA				SMALLPOX		PLAGUE		CHOLERA				SMALLPOX		PLAGUE	
C.		D.		C.		D.		C.		D.		C.		D.	
Andhra Pradesh								Delhi							
Srikakulam	13	2	"N. R."							
Visakhapatnam	4	Himachal Pradesh							
East Godavari	24	11	TOTAL							
West Godavari	21	6	Total for w/e 2-5-59	2	
Krishna	3	1	Total for w/e 25-4-59	
Guntur	9	5	Kerala							
Nellore	1	"N.R."							
Kurnool	5	1	Madhya Pradesh							
Cuddaph	12	1	"N.R."							
Anantapur	2	Madras							
TOTAL	91	30	Madras City	27	9	
Total for w/e 2-5-59	131	30	Chingleput	4	1	
Total for w/e 25-4-59	148	35	South Arcot	10	4	
Assam								Tanjore	2	2	
Kamrup	7	Madurai	4	1	
Cachar	2	North Arcot	7	1	
TOTAL	7	2	Salem	33	10	
Total for w/e 2-5-59	Coimbatore	19	9	
Total for w/e 25-4-59	5	TOTAL	106	37	
Bihar								Total for w/e 2-5-59	168	43	
"N. R."								Total for w/e 25-4-59	159	51	
Bombay								Manipur							
Greater Bombay	13	3	TOTAL							
East Khandesh	3	Total for w/e 2-5-59	
Nasik	7	Total for w/e 25-4-59	
Poona	4	3	Mysore							
North Satara	1	1	"N.R."							
South Satara	2	Orissa							
Chanda	6	Cuttack	2	
Nagpur	2	Puri	6	3	12	3	
TOTAL	38	7	Total for w/e 2-5-59							
Total for w/e 2-5-59	101	17	Total for w/e 25-4-59							
Total for w/e 25-4-59	146	11	Explanation of Symbols used:— C.—Cases ; D.—Deaths; ..—Nil; "N. R."—Information not received.							

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 9th May, 1959—contd.

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
Orissa—contd.								Uttar Pradesh—contd.															
Ganjam	3	4	Dehra Dun	4						
Koraput	13	3	..	.	Deoria	6	2						
Sambalpur	65	3	Etawah	1						
Dhenkanal	6	Farrukhabad	2						
Sundergarh	18	1	Faizabad	14	2						
Keonjhar	10	1	Gaghwal	1						
Bolangir	31	5	Ghazipur	2	1						
Khondmals	7	2	Kanpur	4	1						
Mayurbhanj	17	1	Kheri	1						
Kalahandi	70	33	Lucknow	12	2						
TOTAL	.	6	3	254	56		Mainpuri	3						
Total for w/e 2-5-59	219	56	Merrut	1						
Total for w/e 25-4-59	4	2	317	61			Moradabad	1						
Pondicherry									Nainital	1						
TOTAL	2	1		Partapgarh	1						
Total for w/e 2-5-59	3	3			Rampur	12	4	..							
Total for w/e 25-4-59	6	5			Saharanpur	3	1						
Punjab									Tehri Garhwal	1						
Rohtak	5	2	Sitapur	4	2						
Ludhiana	1	TOTAL	156	46	..							
Ferozepur	1	1	Total for w/e 2-5-59	154	70	..	.						
Sangrur	1	Total for w/e 25-4-59	165	67						
TOTAL	6	5		West Bengal														
Total for w/e 2-5-59	7	1		Burdwan	.	.	1	1	18	9						
Total for w/e 25-4-59	14	4		Birbhum	7	2						
Rajasthan									Bankura	.	.	6	3	25	7						
"N. R."									Midnapur	.	.	4	2	8	2						
Tripura									Hooghly	.	.	10	7	1						
TOTAL	.	2	1		Howrah	.	.	13	7						
Total for w/e 2-5-59		24 Parganas	.	37	9	9	5						
Total for w/e 25-4-59		Calcutta	.	.	75	19						
Uttar Pradesh									Nadia	9	2						
Allgarh	1		West Dinajpur	22	3						
Azamgarh	5	1	Jalpaiguri	10	2						
Ballia	11	6	Darjeeling	29	7						
Banda	32	7	Purulia	1						
Bareilly	31	17	TOTAL	.	146	48	138	40						
Bijnor	2	Total for w/e 2-5-59	82	23	178	80						
									Total for w/e 25-4-59	49	15	326	97						
									Total for India (excluding Bihar, Delhi, Kerala, Madhya Pradesh, Mysore and Rajasthan)	.	154	52	798	224					

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th May, 1959—*contd.*

	CHOLERA		SMALLPOX		PLAGUE		— —	CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Corresponding total for w/e 2-5-59	82	23	963	300							
Corresponding total for w/e 25-4-59	53	17	1286	331							
ARREAR INFORMATION													
Bombay													
<i>w/e 2-5-59</i>													
Greater Bombay	38	12							
Ahmednagar	20							
East Khandesh	5	1							
Nasik	9							
Poona	7	1							
South Satara	10	1							
Sholapur	3	1							
Chanda	8	1							
Nagpur	1							
TOTAL	101	17							
Punjab													
<i>w/e 2-5-59</i>													
Hissar	1							
Ludhiana	2							
Amritsar	2							
Ferozepur	1							
TOTAL	7	1							
Rajasthan													
<i>w/e 2-5-59</i>													
Jaipur	3							
Jhunjhunu	2	2							
Rajasthan—contd.													
Sawai Madhopur	11							
Bikaner	2	1							
Churu	17							
Sikar	24	3							
Alwar	4							
Jodhpur	1							
Nagaur	22	3							
Kotah	25	3							
Bundi	9							
TOTAL	120	12							
Madhya Pradesh													
<i>w/e 25-4-59</i>													
Raigarh	17	3							
Chhindwara	84	17							
Ujjain	..	30	9							
Bilaspur	43	8							
Balaghat	25	2							
Surguja	17							
TOTAL	..	30	9	186	30	..							
Madhya Pradesh—contd.													
<i>w/e 2-5-59</i>													
Ujjain	..	75	15							
Dewas	..	30	15							
Shahdol	9	3							
Raigarh	18	1							
Chhindwara	54	9							
Bilaspur	60	13							
Sagar	4							
Surguja	21	2							
Balaghat	15							
TOTAL	..	105	30	181	28	..							

Explanation of Symbols used:—C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus, in districts in India during the week ending the 9th May, 1959—concl'd

CHOLERA				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.	
Kerala								Kerala—contd.			
w/e 18-4-59								Cannanore			
								6			
								5			
								..			
								..			
TOTAL								79			
								24			
								..			
								..			
w/e 2-5-59											
Kottayam								3			
								..			
								..			
								..			
Trichur								47			
								14			
								..			
								..			
Palghat								7			
								3			
								..			
								..			
Cannanore								2			
								3			
								..			
								..			
TOTAL								59			
								20			
								..			
								..			
REMARKS:											
SMALLPOX :— Heavy incidence was reported from Sambalpur and Kalahandi Districts of Orissa State											
Explanation of Symbols used:—C.—Cases ; D.—Deaths ; .. — Nil.											

NEW DELHI-2 (INDIA);
The 1st June, 1959.

H. R. SHARMA,
for Registrar General, India.

NOTE :—Heavy=Between 50 —100 cases per week per million of population.

Prosper with the

NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S

Small Savings Scheme

and help India's

• COMMUNITY DEVELOPMENT PROGRAMME

• GREAT RIVER VALLEY PROJECTS

• SOCIAL WELFARE SCHEMES

• RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-	Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State

INVEST IN INDIA'S FUTURE

DA - 58/231

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th May, 1959.

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh				"N.R."									
Assam				"N.R."									
Bihar				"N.R."									
Bombay				"N.R."									
Delhi				"N.R."									
Kerala				"N.R."									
Madhya Pradesh				"N.R."									
Madras													
Ambur	48	34	36.8	1	..	7	7.6	..
Arrupukottai . . .	64	44	35.7	1	5	2	..	11	5.9	..
Bodinayakanur . .	43	21	25.4	2	1	..	7	8.5	4
Chidambaram . . .	44	41	48.5	1	3	..	10	11.8	3
Coimbatore †
Cuddalore	77	62	41.9	1	1	2	21	14.2	4
Dindigul	103	69	34.8	9	2	3	..	23	11.6	3
Erode	79	63	41.5	1	1	3	..	17	11.2	1
Gobletipalayam . .	51	10	10.2	1	..	1	..	5	5.1	1
Gudiyattam	60	38	32.9	4	3	..	28	24.3	12
Kancheepuram . . .	94	81	45.9	2	1	9	2	34	18.8	5
Karakudi	49	26	27.6	4	..	1	1	10	10.6	1
Karur	60	40	34.7	3	10	13.9	3
Kumbakonam . . .	119	80	35.0	4	1	2	..	32	14.0	5
Madras City	2,110	1,353	33.3	..	11	..	63	72	132	5	613	15.1	158
Madurai	510	376	38.3	8	6	25	1	134	13.7	35
Mayuram	55	60	56.7	1	..	1	2	8	7.6	1
Mallapalayam . . .	44	12	14.2	3	1	1	..	7	8.3	1
Nagapattinam . . .	62	55	46.1	4	1	2	..	23	19.3	6
Nagercoil	113	107	49.2	2	1	2	..	23	10.6	6
Ootacamund	54	42	46.2	1	3	11	10.6	2
Palni	46	25	28.3	1	8	..	19	21.5	4
Palayamkottai . . .	50	70	79.0	1	..	4	2	21	12.8	4
Periyakulam	36	17	24.6	1	11	15.9	3
Pollachi	63	30	24.8	1	10	8.3	2
Pudukottai	56	51	47.4	12	11.1	3
Rajapalayam	77	35	23.6	4	2	1	..	11	7.4	3
Salem	293	162	28.8	5	7	10	1	59	10.5	8
Sriangam	48	42	45.5	1	..	11	11.9	2
Srivilliputtur †
Tanjore	138	96	36.2	..	1	..	2	2	4	..	38	14.3	6
Tiruchirappalli†
Tirunelveli	86	40	24.2	1	1	4	..	19	11.5	4
Tiruppur	77	52	35.1	1	6	2	21	14.2	1
Tiruvannamalai . .	48	34	36.8	1	..	1	2	16	17.3	4
Tuticorin	124	99	41.5	3	11	..	42	17.6	13
Vaniyambadi	46	24	27.1	2	..	10	11.3	1
Vellore	147	129	45.6	3	2	12	2	55	19.5	11
Villapuram	42	38	47.0	..	2	..	1	3	9	11.1	3
Virudhunagar	59	48	42.3	2	1	3	..	24	21.1	5
TOTAL	5,275	3,618	35.7	..	14	..	127	127	260	23	1,428	14.1	331

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; N.R.—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th May, 1959—contd.

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore															
Bangalore	1258	631	26.8	30	52	..	213	8.8	..		
Mysore	364	140	20.0	11	5	2	..	44	6.2	3		
Kolar Gold Fields	183	71	20.1	2	2	2	..	21	5.9	..		
Bellary	85	35	21.4	5	4	6	1	37	22.6	4		
Davangere	86	53	32.0	8	26	15.7	1		
Shimoga†															
Bhadravati†															
Hospet	54	28	26.9	3	2	2	1	10	9.6	..		
Tumkur	54	3	2.8	3	1	..	2	7	6.7	..		
Kolar†															
Chitaldrug†															
Hassan†															
Bidar†															
Gulbarga†															
Raichur†															
Bijapur	84	35	21.6	3	..	1	1	10	6.2	..		
Belgaum	114	118	53.8	3	4	2	..	47	21.4	7		
Dharwar	87	32	19.1	..	1	..	4	30	17.9	..		
Bagalkot	40	27	35.1	..	2	..	4	..	1	1	12	15.6	..		
Mangalore	159	134	43.8	..	6	..	5	1	1	..	90	29.4	11		
Gadag Betogere	74	60	42.1	16	..	3	1	36	25.3	..		
Hubli†															
TOTAL	2,642	1,367	26.9	..	9	..	67	49	82	7	583	11.5	26		
Orissa															
Behrampur	84	57	35.3	3	4	4	..	27	16.7	6		
Cuttack	134	132	51.5	..	4	..	13	12	17	..	57	22.2	4		
Puri	57	35	31.9	3	25	22.8	6		
TOTAL	275	224	42.6	..	4	..	19	16	21	..	109	20.7	16		
Pondicherry	68	103	93.4	2	4	5	2	26	19.8	16		
Punjab															
Ambala	63	44	36.4	5	2	1	..	14	11.6	6		
Amritsar	367	269	38.2	17	40	1	112	15.9	45		
Batala	68	23	17.6	5	..	7	..	20	15.3	9		
Bhiwani	60	35	30.4	14	4	2	..	26	22.6	6		
Ferozepur†															
Hissar	42	21	26.1	9	2	1	..	15	18.6	8		
Hoshiarpur	56	14	13.0	1	4	1	..	10	9.3	5		
Jullundur	240	104	22.6	14	4	2	..	37	8.0	10		
Karnal	87	36	21.6	1	1	2	..	11	6.6	3		
Ludhiana	200	71	18.5	18	..	9	..	40	10.4	14		
Moga†															
Panipat	75	24	16.7	3	3	2.1	..		
Pathankot	38	20	27.4	4	5	6.9	2		
Rewari	37	14	19.7	8	9	12.7	4		
Rohtak†															
Simla	54	33	31.9	1	4	3.9	1		
Sonepat †															
Bhatinda	47	19	21.1	2	4	4.4	..		
Malerkotla†															
Patiala	129	73	29.5	10	1	8	..	45	18.2	12		
TOTAL	1,563	800	26.7	90	40	73	1	355	11.8	125		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Small-pox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; N.R.=Information not Received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th May, 1959—concl'd.

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan														
Ajmer	250	98	20.4	10	1	8	..	38	8.0	8	
Alwar †														
Beawar	67	4	3.1	7	1	1	..	19	14.7	4	
Bharatpur†														
Bikaner†														
Churu	54	7	6.7	1	..	1	0.9	..	
Ganganagar†														
Jaipur	443	59	6.9	54	6	3	..	96	11.3	37	
Jodhpur†														
Kota†														
Sikar†														
Tonk†														
Udaipur†														
TOTAL	814	168	10.7	74	8	13	..	154	9.8	49	
Uttar Pradesh														
Agra	414	450	56.7	5	77	..	135	17.0	41	
Allahabad	381	150	20.5	1	1	27	..	53	7.2	13	
Amroha	62	43	5.9	8	3	3	..	23	3.1	9	
Bahraich	49	10	10.6	1	..	2	..	3	3.2	..	
Banaras	426	239	29.2	62	10	21	..	217	26.6	68	
Band†														
Bareilly	206	57	12.6	5	2	3	..	22	5.6	6	
Basti	43	13	15.8	1	..	1	..	8	9.7	2	
Ballia†														
Bijnor†														
Budaun	55	27	25.6	10	..	2	..	17	16.1	..	
Bulandshahr	45	10	11.6	4	4	4.6	1	
Chandausi	45	19	22.0	8	1	15	17.4	3	
Dehra Dun	187	66	18.4	..	1	..	6	1	2	..	17	4.7	2	
Rewah	67	51	39.7	12	..	6	..	30	23.3	10	
Faizabad-Ayodhya	97	12	6.4	2	..	1	..	5	2.7	1	
Farukhabad-Fatehgarh	79	18	11.9	4	4	8	..	22	14.5	4	
Firozabad	95	30	16.5	4	1	7	3.8	2	
Ghazipur	36	16	23.2	8	..	1	..	10	14.5	2	
Ghaziabad†														
Gonda	36	8	11.6	7	..	1	..	9	13.0	1	
Gorakhpur	155	64	22.3	8	5	4	..	23	7.7	6	
Hapur	67	28	21.8	7	1	2	..	10	7.8	4	
Hardwar	76	26	17.8	11	1	19	13.0	5	
Haldwani-cum-Kothgodam†														
Hathras	66	23	18.2	5	4	7	..	18	14.2	9	
Jaunpur	60	15	13.0	1	..	3	..	6	5.2	1	
Jhansi	135	7	18.1	19	..	1	..	32	12.3	10	
Kanpur	842	287	17.8	98	29	50	7	297	18.4	69	
Kasganj	34	2	3.1	1	1.5	..	
Khurja	41	11	14.0	2	3	3.8	2	
Koil-Aligarh	171	42	12.8	5	3	3	..	22	6.7	10	
Lucknow	539	203	19.6	38	10	23	..	176	17.0	48	
Mathura	121	84	36.2	11	..	3	..	18	7.7	2	
Mau-Nath Bhanjan	40	23	30.0	2	..	1	..	8	10.4	1	
Meerut	203	76	19.5	7	1	8	1	21	5.4	7	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th May, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh— <i>contd.</i>														
Mirzapur-Vindhyachal	102	30	15.3	9	1	2	..	19	9.7	9	
Moradabad	166	103	32.3	..	2	..	15	4	16	..	54	17.0	10	
Muzaffarnagar	83	24	15.1	..	1	..	6	3	1	..	18	1.3	4	
Pilibhit†														
Rampur	188	10	2.8	3	6	1.7	..	
Saharanpur	183	90	25.6	45	1	2	..	53	15.1	18	
Sambhal†														
Sitapur	54	11	10.6	1	..	4	3.9	1	
Shahjahanpur	113	54	24.9	8	1	2	..	22	10.1	99	
Tanda†														
Najibabad†														
Mardol	36	20	29.0	1	1	1.4	..	
TOTAL	5,831	2,445	21.9	..	4	..	444	92	284	8	1,428	12.8	390	

ARREAR INFORMATION

Andhra Pradesh				w/e 25-4-59												
Adoni†	.	.	.	44	33	39.0	..	I	4	I	12	14.2	3
Anantpur	.	.	.	52	27	27.0	I	I	3	..	12	2.0	3
Anakapalli	.	.	.													
Bhimavaram	.	.	.	43	25	30.2	..	I	..	I	I	I	..	9	10.2	2
Chirala	.	.	.	50	19	19.8	2	I	12	12.5	I
Chittoor†																
Cuddapah	.	.	.	47	23	25.4	2	3	4	I	19	21.0	I
Ellore	.	.	.	112	46	21.4	3	..	2	I	37	17.2	3
Gudivada	.	.	.	41	20	25.4	3	..	2	..	8	10.1	I
Guntur	.	.	.	175	103	30.6	10	4	5	..	61	18.2	8
Guntakal†																
Kakinada	.	.	.	127	26	10.6	5	..	6	..	25	10.2	5
Kurnool†																
Masulipatanam†																
Nandyal	.	.	.	41	35	44.4	I	..	2	4	8	29.2	6
Nellore	.	.	.	111	95	44.4	I	3	I	34	15.9	5
Proddutur	.	.	.	47	37	38.7	3	..	4	..	14	15.5	I
Rajahmundry	.	.	.	140	19	7.0	2	..	2	..	9	3.3	I
Tenali†																
Vijayawada	.	.	.	271	132	23.4	..	I	..	14	I	7	..	79	15.2	21
Visakhapatnam	.	.	.	155	101	33.8	8	7	13	..	51	17.1	7
Vizianagaram	.	.	.	83	31	19.4	2	23	14.4	6
Hyderabad	.	.	.	1,302	326	13.0	..	I	..	15	I	7	..	116	4.6	8
Warrangal†																
Nizamabad	.	.	.	85	10	6.1	..	I	..	I	..	2	..	5	3.1	..
Kothagudiam	.	.	.	80	26	16.9	12	7.8	..
Secunderabad.	.	.	.	195	108	28.8	4	I	9	..	33	8.8	2
TOTAL				3,201	1,230	20.0	..	5	..	77	21	76	8	594	9.6	84
Bombay				w/e 18-4-59												
Ahmedabad	.	.	.	1,001	631	32.8	6	..	52	..	174	9	37
Ahmednagar	.	.	.	1,120	75	34.8	3	..	13	..	33	15.3	7
Amalner	.	.	.	55	31	29.3	7	..	I	..	11	10.4	3
Baroda	.	.	.	277	183	34.3	20	I	24	..	89	16.7	20
Barsi	.	.	.	49	24	24.5	10	23	24.4	10
Bhusawal	.	.	.	76
Broach	.	.	.	69
Cambay	.	.	.	43	36	44	I	..	2	..	14	16.9	2
Chalisgaon	.	.	.	39	33	44	2	4	4.3	..
Dhulla	.	.	.	105	45	30.4	8	..	5	..	19	12.9	4
Godhra	.	.	.	42	24	29.7	I	I	7	8.7	I
Greater Bombay	.	.	.	4,671	1,688	18.8	..	11	..	5	53	132	2	792	8.8	211

* In cases of towns where there has been a abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th May, 1959—*contd.*

Deaths from :—

Towns	Mid-year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
<i>w/e 18-4-59</i>													
Jalgaon	91	20	11.5	8	..	6	..	28	1.6	4
Kalyan	94	34	18.8	3	10	5.5	3
Kolhapur	189	129	35.5	1	1	9	2	38	10.5	5
Malegaon	77	59	39.8	20	2	3	..	34	23	10
Mira	48
Nadiad	80	37	24.1	16	1	34	22.1	9
Nandurbar	39	22	29.33	4	..	1	..	7	9.3	1
Nasik	153	79	26.9	10	..	11	1	54	18.4	15
Navsari	54	47	45.3	3	..	1	..	11	10.6	..
Pandharpur	48	46	49.8	6	4	11	..	28	30.3	..
Parna	50	35	36.4	4	..	3	..	20	20.8	3
Poona	727	217	15.5	..	1	..	7	3	..	124	124	10.8	25
Sangli	68	29	22.2	3	..	1	..	10	7.7	2
Satara	43	16	19.3	3	..	5	..	17	20.6	3
Sholapur	333	200	30	26	8	46	1	131	20.5	32
Surat	279	177	32.7	15	..	17	..	86	15.5	19
Thana	104
Bhavnagar	177	87	26.5	21	3	19	..	56	11	11
Dhoraji	49	29	30.8	7	2	1	..	15	15.9	5
Jamnagar	143	15	5.5	3	..	3	3	17	6.2	..
Junagarh	67	35	27.2	10	1	3	..	25	11.6	7
Morvi	44	12	14.2	..	2	1	8	3.3	2
Porbander	69	38	26.2	9	4	1	..	27	16.6	8
Gondal	43	21	25.4	2	2	3	..	9	10.8	..
Rajkot	219	95	22.6	..	4	..	16	5	11	..	68	16.1	29
Veraval	51
Surendranagar	53	16	15.7	4	..	2	..	19	18.6	..
Nagpur	624	263	21.9	..	1	..	10	4	12	..	94	7.8	24
Achalpur	40	19	24.7	8	..	1	..	9	11.7	1
Akola	121
Chanda	46
Gondia	57
Hinganghat	37
Khamgaon	48	21	22.8	2	..	1	..	5	5.4	2
Wardha	53	18	17.7	2	1	8	7.8	2
Yectmal	46	38	36.6	5	1	3	..	29	23.8	..
Kamptee	42
Amravati	116	70	34.9	18	3	2	1	47	24.4	6
Aurangabad	83	9	5.6	1	..	1	1	8	5	1
Lathur	47	11	12.7	3	1	5	5.5	..
Nanded	98	27	14.3	3	..	1	..	5	5.8	2
Parbhani	48	2	2.2
Jalna	84	22	13.6	1	1	3	1.9	..
TOTAL	10,870	4,765	22.8	..	19	..	314	103	437	13	2,256	10.8	535

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used:—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths : (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th May, 1959—*contd.*

Towns	Mid-year popn. Est (000)	B.	Deaths from :—								Total	D.R.*	I.D.
			B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D.			
Madhya Pradesh													
w/e 25-4-59													
Bilaspur†													
Burhanpur . . .	87	61	36.4	12	..	5	..	22	13.1	..
Damoh . . .	49	16	17.3	11	4	6	..	31	33.5	..
Jabalpur . . .	277	103	19.3	10	1	19	1	72	13.5	27
Khandwa . . .	66	18	14.1	2	..	2	..	7	5.5	..
Raipur†													
Murwar†													
Sagar†													
Chindwara . . .	33	11	17.3	..	3	..	2	..	1	..	15	23.6	5
Raigarh . . .	41	38	3.8	2	1	3	3.8	..
Itarsi . . .	39	4	5.3	1	1.3	..
Greater Gwalior . . .	304	54	9.2	1	..	2	1	20	3.4	3
Indore . . .	441	181	21.3	7	..	25	1	81	9.5	26
Ratlam . . .	84	11	6.8	6	1	17	10.5	..
Ujjain†													
Bhopal city . . .	132	62	24.4	3	1	5	..	24	9.4	2
Mandsaur . . .	50	7	7.2	1	..	1	1.0	..
TOTAL . . .	1602	531	17.2	..	3	..	56	7	66	3	294	9.5	63
Rajasthan													
Supplementary Figures													
w/e 2-5-59													
Bikaner . . .	118	25	11.0	3	2	5	..	19	8.4	3
Ganganagar . . .	65	6	4.8	2	1	1	..	10	8.0	1
Kotah . . .	85	1	0.6	..	8	..	4	15	9.8	1
Sikar . . .	57	3	2.7	1	1	3	2.7	..
Udaipur . . .	125	3	1.2	1	..	5	..	7	2.9	1
w/e 25-4-59													
Ganganagar . . .	65	3	2.4	4	1	9	7.2	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates; may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths(included in total deaths); Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 9th May, 1959 relate to 112 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 16,468 thousands out of a total population of 48,772 thousands in 324 towns of the country. The number of births and deaths recorded

in these towns were 8,725 and 4,083, registering birth and death rates of 27·6 and 1·29 per thousand of population respectively.

The following table gives the registered rates for different States:—

States	Current w/e 19-5-59		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Madras	35·7	14·1	34·7	13·4
Mysore	26·9	11·5	19·6	9·2
Orissa	42·6	20·7	27·0	18·8
Pondicherry	93·4	19·8	65·8	19·1
Punjab	26·7	11·8	30·5	11·3
Rajasthan	10·7	9·8	12·2	9·6
Uttar Pradesh	21·9	12·8	23·0	14·5
India,	27·6	12·9	27·5	13·0

NEW DELHI-2 (INDIA) ;
The 2nd June, 1959. }

H. R. SHARMA,
for Registrar General, India,

